

Garage Doors Designed for Life

RESIDENTIAL BROCH

Trust Upwardor Quality Craftsmanship

For over **50** years, thousands of homeowners every year choose Upwardor. We are a leader in manufacturing quality doors that last! Our Dealers are selectively chosen because of their attention to detail and customer service.

Call **1-800-667-3367** to find out more or visit **upwardor.com**

Telephone: 905-876-3667 Fax: 905-876-3533 Email: sales@upwardor.com



Shown: Bronte Creek Steel Grey

義義

Quality Crafted, Uniquely Styled.

Since 1974

Residential Line



Shown: Sheridan XL White

The Kanata Collection[™]

Combines style, durability and environmental friendliness. Polyurethane insulation is foamed in place, which ensures a consistent density and significant panel strength. With a 1 ^{3/4"} (44.5mm) thickness, R-value of 16.3, enhanced tongue and groove joint and a true thermal break, the Kanata Collection is an excellent choice for those who are looking for a high-quality, energy efficient residential garage door.





Customize Your Look!

Choose your own custom colours to match your home!

Colour Choices





Shown: Flush Black




The Kanata Collection[™]

Upwardor offers several design and decorative insert options, adding a custom touch to your garage door. Window inserts are interchangeable, providing a classic or decorative look to complement and add value to your home. Frames and inserts are carefully colour-matched and are UV protected.

Features and Options

- High-quality, versatile and eco-friendly
- With a built-in thermal break, this door is suitable for both cold and warm climates
- Multiple glazing window and insert options add value to any home
- Available in six designs: long and short raised panel, long and short carriage house, ribbed panel and flush versions



Shown: Trafalgar Black

Visit **upwardor.com** to explore Panel choices and Window designs



The Craft Series™

Represents the ultimate in style, durability and environmental friendliness. Our new three section taller panel design offers a truly distinct look while maintaining the quality and performance you would expect from a premium door, ideal for the homeowner who is looking for more than just curb appeal.





Customize Your Look!

Choose your own custom colours to match your home!

Colour Choices



Actual door colour will vary from colour renditions

Sizes

Available in two section heights





Shown: Granville Walnut



The Craft Series™

Our premium residential offering, representing the ultimate in style, durability and environmental friendliness. The three-section, 1^{3/4"} (44.5mm) thick, taller panel design with an R-value of 16.3 appeals to the discerning homeowner who wants a distinct look without having to make compromises on the quality of their garage door.

Features and Options

- 26-gauge, pebble embossed exterior and interior steel back sheet
- Environmentally friendly polyurethane insulation, 100% CFC free
- Built in thermal break prevents cold/heat transfer from the exterior to the interior of the door

Visit **upwardor.com** to explore Panel choices and Window designs



Shown: Denison White



AL-976[™]

Is our most popular Aluminum Door, manufactured since 1976, offers a variety of options where superior strength, maximum visibility and exceptional light transmission are required. Its unique and durable design allows customized configurations for openings up to 24' (7.32m) wide. This modern look can add class to any home.

Features and Options

- 1 ^{3/4"} (44.5mm) thickness
- Clear anodized finish standard
- Tongue and groove section with weather seal inhibits air infiltration
- Available with various glazing options: single, insulated, tinted, tempered or specialty

Visit **upwardor.com** to explore Panel choices and Window designs



Choose your own custom colours to match your home!

5 Year Limited warranty on door finish

1 Year

Limited warranty workmanship and materials

Modern Design Shown: Solalite in black with Opal Glazing

Solalite[™]

Ultra modern design, The Solalite[™] door is an exceptional example of innovation and engineering. This door is impact, corrosion and moisture-resistant. The Solalite's sleek and contemporary appearance blends with current architectural trends. A door sure to stand out on your block!

Features and Options

- Manufactured from 2" thick (50.8mm) corrosion-resistant aluminum extrusions.
- Standard clear anodized finish.
- Polycarbonate, translucent glazing is lightweight, virtually unbreakable and energy efficient.
- Continuous hinge design inhibits water build-up between sections and prevents air infiltration, which maximizes thermal resistance

Customize Your Look!



Choose your own custom colors to match your home!

Visit **<u>upwardor.com</u>** to explore Panel choices and Window designs.



Thermalex 450-20s Shown: Black

Smooth Residential Door

Polyurethane insulation is foamed in place, which ensures a consistent a density and significant panel strength. With a 44.5mm (1 ^{3/4"}), R-value of 16.3. Completely Smooth 20 ga face and our new tongue and groove design with a true thermal break.



Shown: Trafalgar Black

Key Benefits:

- High-quality, versatile and eco-friendly
- With a built-in thermal break, this door is suitable for both cold and warm climates
- Multiple glazing window and insert options add value to any home
- Available in Smooth Flush



Customize Your Look! Choose your own custom colours to match your home!

Colour Choices



White



New to the Kanata Collection

Thermalex 500-20s Shown: Black

Smooth Residential Door

Polyurethane insulation is foamed in place, which ensures a consistent density and significant panel strength. With a 50.8mm (2") thickness, R-value of 18.4. Completely Smooth 20 ga face and our new tongue and groove design with a true thermal break.

Key Benefits:

- High-quality, versatile and eco-friendly
- With a built-in thermal break, this door is suitable for both cold and warm climates
- Multiple glazing window and insert options add value to any home
- Available in Smooth Flush







Customize Your Look!

Choose your own custom colours to match your home!

White Black


Measurements & Specifications

KANATA COLLECTION

Product Selection Guide & Specifications

EXTERIOR/INTERIOR STEEL BACKSHEET	26-GAUGE, PEBBLE EMBOSSED		
HORIZONTAL REINFORCEMENT STRIP	25-GAUGE (2 PER PANEL)		
END STILES - WHITE GALVANIZED	20-GAUGE		
MAXIMUM STANDARD WIDTH	18'0" (5.49m)		
MAXIMUM STANDARD HEIGHT	3" (76mm) INCREMENTS		
SECTION HEIGHT	18", 21", & 24" (457, 533 & 610mm)		
WARRANTY	LIMITED LIFETIME SEE WARRANTY SHEET		
STANDARD RADIUS	15" (12" AVAILABLE UPON REQUEST)		

Side view illustration



KANATA COLLECTION

Stamp Designs

	10			
		T	1	Ī
			1	Ĩ
1	n	- in	1	Ī

EEK	TRAFALGAR
TTTT ITTTT	


SHERIDAN Raised Panel BRONTE CREEK Carriage House **Ribbed Panel**



SUNBURST

SHERIDAN XL

Raised Panel




Carriage House

1.871	10	ON	1.8.7	u		
881	40	ON		п	C C	: L.



TWO PIECE XL

Window Designs/ Inserts





11 11	11.1	- 11
a second s	1	- 10
STANDARD		
CATHEDRAL		
and the second division of the second divisio	-	-

Ľ .		Ľ.	
CTANDA	20	-	_
STANDA	RD		

ARCHED XL · STOCKBRIDGE

WATERTON






Product Selection Guide & Specifications


THICKNESS/PRODUCT TYPE	1-3/4" (44.50mm)
EXTERIOR/INTERIOR STEEL BACKSHEET	26-GAUGE, PEBBLE EMBOSSED
INSULATION TYPE/ FOAM PROCESS	ZERO ODP POLYURETHANE/ CONTINUOUS
R-VALUE/U-VALUE	16.3/0.06
SECTION JOINT	TONGUE & GROOVE
HORIZONTAL REINFORCEMENT STRIP	25-GAUGE (2 PER PANEL)
END STILES – WHITE GALVANIZED	20-GAUGE
AVAILABLE WIDTHS	8',9',12', & 16'
MAXIMUM HEIGHT	8' & 7'
SECTION HEIGHT	28" & 32" (711 & 813mm)
WARRANTY	LIMITED LIFETIME SEE WARRANTY SHEET
HARDWARE WARRANTY	1-YEAR
STANDARD RADIUS	20"
CLEARANCE AT HEADER	23" MIN

Side view illustration



CRAFT SERIES

Panel Choices





MUSKOKA



Visit upwardor.com to explore Panel choices and Window designs

Window Inserts

STOCKTON

_		
FIGUT COULS		

EIGHT SQUARE



ARCHED

STOCKBRIDGE




STRAIGHT

ARCHED

ALUMINUM DOORS

Cross Section






(1) .070" (1.78mm) typical, .115" (2.92mm) at attachments (2) Glazing molding (3) Glazing (4) Reinforcing strut (optional under 16' [4.88m]) (5) Soft ving Jalazing bead (6) Center hinge (7) Weather seal (8) Low temp, ving lastragal Visit **upwardor.com** to explore Panel choices and Window designs

SOLALITE

Cross Section








 PVC bushing
Built-in integral strut
Continuous hinge extrusion
Thermally broken frame (optional)
5/8" (16mm) five wall polycarbonate clear, light bronze or dark bronze
Low temperature vinyl bottom astragal

Visit **upwardor.com** to explore Panel choices and Window designs



For more product information visit:

upwardor.com



Garage Doors Designed for Life

1-800-667-3367

T: 905-876-3667 F: 905-876-3533 sales@upwardor.com

